

Choose the real exterior door





Get backstage to find out more about our manufacturing process. Discover over 100 inspirations inside our catalogue

Contents

04	Augmented Reality – Try a Virtual Door on				
06	Selected Work				
80	How to Choose an Ideal Door				
10	Guide on House Styles				
12	Collections				
	12 Vintage				
	18 Knight				
	24 Kolora				
	28 Arbo				
	32 Idyll				
	36 Movie Star				
	40 Alutherm				
	44 Classic				
48	Go Hybrid! Hybrid Doors				
50	Technical Information				
	50 Custom-made Doors				
	52 The Colours of Your Door				
	54 Doors that Match Garage Doors and Windows				
	55 More Light/ Door Glazing				
	56 Doors to Serve You for Years/Installation				
	58 Smart Doors				
	60 Door Accessories				
	62 The Lock Matters				
64	A Safe and Quiet House. Security and Silence Packages				
65	Take Care of Your Door				
66	What Influcencers Say				
67	Doors that Reflect Who We Are				



You want it to be beautiful, quiet, and secure. You want it to express your tastes, desires, and your values. It should be a place where good emotions and honest gestures are born. It should never lack warmth. It should simply be a home.


A home needs a Real door. The kind of door that will help turn a house into your home. A door made of real wood, harvested in harmony with nature, that is in harmony with you and your care for your loved ones and the planet. The kind that has been made by human hands which treated the raw material like a treasure, with love. Robust and durable as family ties because they have been designed with every challenge in mind. Guarding the warmth and calm that you need so much when you come back home from a cold, busy world. The kind of door that follows your style. The kind you have always dreamed of. We have turned that dream into reality

Our doors have been made from natural wood - one of the best, naturally occurring raw materials. It is 100% renewable, ecological and human-friendly.



A Virtual Door for Your Real-Life Home

Come in and try it on!











Augmented Reality - Exceptional 3D Modelling Technology





Try the door on in your home in 3D thanks to the exceptional augmented reality technology that you can display on your smartphone. Just scan the QR code, choose a model and try it on virtually.

You may share the effect with your partner or your family.

Just make these five easy steps:



Scan the QR code.



Choose



Follow the instructions.



Direct the phone to the place where you would like to see



See how the door looks on the wall of your house. Enlarge, view the details. Take a picture or make a video.

(!) As another option, go to the following URL www.3d.drzwi-cal.pl and try on selected models virtually.





Encountering difficulties?

View a video that will explain in a few seconds how to use augmented reality.

Selected Work

Get inspired by the exceptional arrangement of the entrance to your house. You have endless possibilities.



Project 6/1



Project 6/2



Project 6/3



Project 6/4



Project 6/5



Project 7/1 Project 7/2



Project 7/4









Project 7/6



How to Choose an Ideal Door

A shortcut to a few terms used throughout the catalogue

Collection

Models of a similar style and structure

Colours

CAL colour chart, RAL & NCS palettes

Dimensions

Our doors are available in practically any dimensions. That includes sidelights and transoms. The door can be up to 2.5m high.

Standards

Model customization in terms of thermal transmittance, air tightness and design (with visible or concealed hinges).

If You Need:

Security

Choose any door/model



All doors come complete with Winkhaus multipoint locking hardware, robust hinges, and an antipry system that provides added protection against intruders. Our standard in all of our doors, sidelights, and transoms are P4-class Insulated Glass Units. All door series (except for Comfort) are of the certified RC2 antiburglary class; this also applies to doors with sidelights and transoms.

More security

Choose certified class RC3 antiburglary models

Watch how we were shooting at the door.



An Innovative Structure

Choose the Presenta standard



Doors with concealed hinges and flushed on both sides with the door frame or the glazing unit. $U_d < 0.81 \text{ W/m}^2\text{K}$, leaf thickness: 90mm.

Heat



All doors meet the requirements for $U_d < 1.3 \text{ W/m}^2\text{K}$.

- For an energy-efficient house we recommend the Thermo standard (leaf thickness: 78 mm) and the Presenta standard (leaf thickness: 90 mm) in the U_d<1.0 W/m²K,
- For a passive house we suggest the Arctic standard in the U_d < 0.76 W/m²K (0.58 W/m²K for reference doors), the leaf thickness: 90 mm,
- For a passive, certified house we recommend the CPH Component Standard, i. e. the doors certified by the Passive House Institute in Darmstadt, Germany.

Ultradesign

Go Hybrid!

Choose models with an aluminium or stone cladding (quartzite slate or quartz sinter) on the outer side of your door. To find out more go to page 48.

Smart home

Choose any model


In all our real doors we can install electronic access and biometric systems that will be compatible with your smart home.


Standards and Basic Parametres of CAL Doors

	Thermo	Arctic (90-102 mm)	Presenta (90 mm)	CPH Component	Comfort (65 mm)
Thermal transmittance (U _d)	\leq 0.90 W/m ² K for doors without glazing otherwise, \leq .97** W/m ² K	0.58 W/m ² K for solid pine reference doors otherwise, $\leq 0.86^{**}$ W/m ² K	$\leq 0.81** W/m^2 K$ for doors without glazing otherwise, $\leq 0.97*** W/m^2 K$	$\leq 0.68 \text{W/m}^2 \text{K}$ for solid 2500x1158 doors otherwise, $\leq 0.76 \text{W/m}^2 \text{K}$	≤ 1.30 W/m ² K
Security Class	certified RC2/RC3*	certified RC2	certified RC2	certified RC2	equipment corresponding to RC2
Lock	Mechanical three-point lock M 2.1 Winkhaus	Automatic three-point lock AV3 Winkhaus	Automatic three-point lock AV3 Winkhaus	Automatic three-point lock AV3 Winkhaus	Mechanical three-point lock M 2.1 Winkhaus
Glass	Low-E, triple-glazed IGUs with P4 antiburglary glass	Low-E, triple-glazed IGUs with P4 antiburglary glass	Low-E, triple-glazed IGUs with P4 antiburglary glass	Low-E, triple-glazed IGUs with P4 antiburglary glass	Low-E, double-glazed IGUs with P4 antiburglary glass
Collections	Kolora, Arbo, Alutherm, Movie Star, Knight, Vintage	Kolora, Arbo, Alutherm, Movie Star, Knight, Vintage	ldyll, Kolora, Arbo, Alutherm, Movie Star, Knight, Vintage	Kolora, Arbo, Alutherm, Knight, Vintage	Classic

^{*}SAFE version on page 64

door frame made of glued-laminated timber M 2.1 three-point lock Passive thermal insulation panel insulat





CPH Component

door frame made of glued-laminated timber AV3 three-point lack three-poin


Certified Passive House Component

Our doors are CPH-component tested and approved. The first wood door on the Polish market that has been certified by the Passive House Institute in Darmstadt, Germany. This line of doors is our flagship door system! It is dedicated to clients who are aiming at a Passive House or a Zero Net Energy building. The certificate covers both the door and the door installation system. Note: Our doors are available in many styles, but not all are CPH-component tested and approved. Look for

the doors marked with

the CPH component label.

ID 1483ds03



^{**} for Victoria and Sydney models $\rm U_d$ is 0.2 W/m² K higher.

^{***} The Arbo and Idyll Collections

Guide on House Styles

and matching doors



Classic

Elegant door, featuring balance in decoration

Description of a building:

Contemporary classicist, historical, urban, public or residential. A town villa, a tenement house, a hotel, a restaurant.



Look for inspiration in the following collections:





Examples of models: Dragon, Hippolita, Czantoria, Marlene



Minimalist

The door is to blend in.

Description of a building:

Contemporary, modernist. A public or a residential building.

Look for inspiration in the following collections:

Alutherm Knight







Suggested models: Decyuran, Gigaball, Nigra, Bruna



Retro

Ornamental, decorative door

Description of a building:

A stylized building: a tenement house, a hotel, a restaurant or a house in a distinctive, classic style or a more rustic



Look for inspiration in the following collections:

Vintage





Suggested models: Darwin, Wiktoria, Makalu, Sokół





Modern Vintage

Wooden door with delicate, decorative elements in metal

Description of a building:

A contemporary urban house for persons who appreciate tradition and modernity in one.

Look for inspiration in the following collections:

Arbo

Movie Star







Suggested models: Euterpe, Klio, Antiopa, Acero, Greta When choosing a door you might be inspired by the style of the house, hence our few suggestions. The actual choice is always up to you.

Your house. Your style. Your door.



Eco

Simple, natural door

Description of a building:

A simple, contemporary house by a lake, a forest, in the mountains – for persons who value a natural touch remindful of traditional wooden housing. A contemporary barn.

Look for inspiration in the following collections:

IdvII





Suggested models: Talia, Kaliope, Kverko, Fago





Provence

Natural, slightly decorated door, in pastel colours

Description of a building:

A traditional house, with plastered facades and a ceramic roof, surrounded by lush greenery.

Look for inspiration in the following collections:

Vintage

Kolora





Suggested models: Kingston, Sydney, Blua, Smeralda



Scandinavian

A natural door, in pastel colours. Simple and adornment-free.

Description of a building:

A simple, suburban house in the Scandinavian style. Hygge. A contemporary barn.



Look for inspiration in the following collections:

Arbo



Kolora



Suggested models: Saliko, Blanka, Jagienka Maxglass, Longinus



Industrial

Contemporary door

Description of a building:

A contemporary residential or public building. A post-industrial building (concrete-steel-glass)



Look for inspiration in the following collections:

Alutherm



Knight







Suggested models: Megacal, Griza, Walkiria,

Jagienka featuring a contemporary cladding: quartzite slate, concrete or quartz sinter.



Vintage Collection

A home must have its unique ambiance. Its inhabitants are key to its creation. A good atmosphere arises also from all the efforts undertaken to make it beautiful and special. With the Vintage collection, you will give your home a unique retro style that will define the building right from the entrance door. The collection offers specially selected, hand-crafted wood, and the possibility to create an original portal using toplights, sidelights, or stained-glass panes enhanced by a perfect finish...Here is the Real door in a vintage style.

In brief: Sophisticated elegance with a classic touch and a sense of the spirit of the times. The structure of the models in this collection meets the requirements of energy-efficient houses. It guarantees both perfect insulation performance, regardless of the weather conditions, and top safety standards.



model: Kingston | standard: Arctic | colour: Norton/Greenish | handle: Diva





RC2 (Burglar Resistance Class 2)



Up to 5 years guarantee *





90 mm Arctic



Presenta



CPH Component



Sidelights & Transoms

* To find out more, go to www.drzwi-cal.pl




All doors in this collection are available in 21 environmentally-friendly finishes that highlight the wood grain. You can also choose almost any colour from the RAL palette.

> • The door comes as a pre-hung door with a multipoint locking hardware system and security glass.

✓ Oak ✓ Pine

Take a surcharge-free RC2 (Burglar Resistance Class 2).






Wiktoria

- RAL 1018 (oak)
- RETRO z43 pullbar (RAL 9005)
- Jupiter half-set handle(F8-black)
- P4 antiburglary glass






Makalu

- S Afromosia (oak)
- Supiter handle (F6-stainless steel)
- P4 antiburglary glass








Canberra

- Oark teak (pine)
- Diva handle (F6-stainless steel)
- 9 P4 antiburglary glass




- Bourton | Blueish (oak) s
- Diva handle (F6-stainless steel) •





Due to the specific design of the raised panels, the doors opened outwards need to be installed not deeper than 110mm into the wall (from the face of the finished front wall).





Kingston 🟭




- S Norton | Greenish (oak)
- Jupiter handle (F6-stainless steel)
- P4 antiburglary glass




Sydney

- RAL 1023 (oak) •
- Toronto handle (F6-stainless steel)
 - P4 antiburglary glass ⁽⁵⁾









Hobart


- NCS Very Peri
- Jupiter handle (F6-stainless steel)
- 9 P4 antiburglary glass

Read more on p. 9



















- Teak (knotty oak)
- Jupiter handle (F9-titanium)

Lhotse

- RAL 9016 (oak) •
- Jupiter handle (F4-old gold) •










- RAL 3015 (oak)
- RETRO z43 pullbar (stainless steel)
- Slim Solo handle (F6-stainless steel)



Okrągłe

- Winchester Oiled (oak) s
- P4 convex antiburglary glass s
 - Jupiter handle (F9-titanium) •










Garbaś 👫



- RAL 6029 (oak)
- Jupiter handle (F9-titanium)
- P4 antiburglary glass



- Dark teak (oak)
- Jupiter handle (F6-stainless steel) •










Knight Collection

Why Knight? Because the doors from this collection are like the knights of our times. We combine natural wood, which over centuries has proved to be an excellent material, with top quality stainless steel or quartz sinters, and specially designed fittings. As a result, the traditional material gains a designer "armour" and the door fits all contemporary arrangements. The final product is a real, wooden door (not the kind made of steel or PVC) that is both beautiful and will guard your home well.

If, to you, a real home is a home in a contemporary style, enhanced with new technologies, put a knight from the Knight collection at your entrance.



model: Jagienka | standard: Thermo | colour: Oiled Winchester (knotty oak) | height: 2.5 m | pullbar: Wala | escutcheon plate: Slim | fingerprint reader





RC2 (Burglar Resistance Class 2)



Up to 5 years

Thermal insulation:

0.58-0.97 W/m²K







Presenta







* To find out more, go to www.drzwi-cal.pl




All doors in this collection are available in 21 environmentally-friendly finishes that highlight the wood grain. You can also choose almost any colour from the RAL palette.

The door comes as a pre-hung door with a multipoint

locking hardware system and security glass.

Take a surcharge-free RC2 (Burglar Resistance Class 2)






Interior trim - metal frame (F8 black)

Zawisza

- Clear (oak)
- Metal inlays (RAL 9005)
- Jupiter handle (F8-black)
- P4 antiburglary glass






Walkiria



- RAL 7016 (oak)
- Metal inlay (F6-stainless steel)
- WALA flush pull handle (F6-stainless steel) Jupiter half-set handle (F6-stainless steel)








Agawa RC3 E43dB

- S RAL 9005 (door frame)
- Walnut (leaf)
- Wala Q10 pullbar (RAL 9005)
- Jupiter Solo handle (F8-black)
- Metal inlays (RAL 9005)


Antiopa

- Burford | Greyish (oak)
- Concealed pull handle (RAL 9005)
 - Metal inlay (RAL 9005) s
- Jupiter half-set handle (F6-stainless steel) •










Asteria

- S Bleached Oiled (oak)
- x7zo pullbar Z11 model (F6-stainless steel)
- Jupiter half-set handle (F6-stainless steel)
- 9 P4 antiburglary glass



Dejanira


- Bourton | Blueish (oak) s
- Prestige handle (F6-stainless steel)



Inner side Interior trim - stainless steel frame








Dragon

- S Golden oak (oak)
- Jupiter handle (F9-titanium)
- 9 P4 antiburglary glass

Florian

- RAL 9016 (pine) •
- Jupiter handle (F9-titanium)




Inner side Interior trim - stainless steel frame










Hippolita

- RAL 3017 (oak)
- © Concealed pull handle (RAL 9005)
- Metal inlay (RAL 9005)
- Jupiter half-set handle (F8-black)



- Winchester Oiled (knotty oak) •
- AXA straight pullbar (RAL 9005)
 - Jupiter Solo handle (F8-black) •









Inner side Wooden trim


Jagienka Maxglass

- RAL 9005 (oak)
- Jupiter handle (F8-black)
- P4 antiburglary glass




Longinus

- RAL 7016 (oak) ©
- Metal overlay (F6-stainless steel)
- Prestige handle (F6-stainless steel)










Inner side Interior trim - stainless steel frame

Mszczuj 4s

- S Winchester (oak)
- Metal inlays (F6-stainless steel)
- Jupiter handle (F6-stainless steel)
- P4 antiburglary glass

Zyndram

- RAL 6005 (oak) •
- Metal inlays (F8-black) •
- Jupiter handle (F8-black)
 - P4 antiburglary glass S








Kolora Collection

What a whirlwind of colours! Choose models in any colour you fancy from the one of a kind RAL palette. You decide, we provide. The names of the models in this collection are derived from the international Esperanto language. Did you know that "esperanto" means "a person who hopes"? Each of the colourful designs will be painted and milled as you like it. The door you have designed should stand out from the entire facade.

Choose from a palette that offers a wealth of possibilities. Consult our dealer and let us make your dreams come true.

Each RAL colour is included in the price of the door!



model: Blanka | standard: Presenta | colour: RAL 4010 Fuchsia | pullbar: WALA | escutcheon plate: Slim





RC2 (Burglar















Class 2)

Up to 5 years

Thermal insulation: 0.58-0.97 W/m²K

Arctic

Presenta


CPH Component





All doors in this collection are available in nearly all colour of the world included in the RAL palette.





1 The door comes as a pre-hung door with a multipoint locking hardware system and security glass.

Take a surcharge-free RC2 (Burglar Resistance Class 2)

Blanka









- S RAL 6034 (oak)
- Jupiter handle (F6-stainless steel)

A tip



How should painted doors be maintained?

We recommend regular use (2-3 times a year) of the preparations included in the OTTIMO Door Care set (page 65). In the meantime, it is a good idea to wipe the door's surface with a dry cloth without using any detergents and other cleaning or care products.



Routing grooves on the inner side available Inner side

Blua

- S RAL 1013 (oak)
- RETRO pullbar z43 model (RAL 9005)
- Jupiter Solo (F8-black)
- P4 antiburglary glass








Bruna 🖁

- s RAL 3027 (oak)
- AXA stainless steel pullbar (F6-stainless steel)
- Slim Solo handle (F6-stainless steel)



- RAL 6005 (oak) s
- Diva handle (F6-stainless steel) •









Rufa


- S RAL 6034 (oak)
- Jupiter handle (F8-black)








- RAL 7040 (oak) 9
- x7zo pullbar Z29 model (F6-stainless steel)
 - Jupiter half-set handle (F6-stainless steel) •












- S RAL 5018 (oak)
- Diva handle (F6-stainless steel)



- RAL 7047 (oak) ₆
- Toronto handle (F6-stainless steel)







View it on our website Door casing on the inner side (CAL casing system)











Arbo Collection

We love wood! It is the soul of all our doors. How about you? Do you also think that there is no home without a Real wood door? Discover the Arbo collection, which is based on the original beauty of wood planks. It will allow you to fully appreciate the shades, the grain, and the texture of the wood. Feel the warmth of Real wood. Linear layouts of planks work well in innovative and minimalist houses. They are a perfect match also for rustic places.

Just decide whether you prefer the vertical or the horizontal arrangement. Needless to add, the aesthetics go hand in hand with the technical parameters. As in love, certain things are understood without words.



model: Kverko | standard: Presenta | colour: Winchester | sidelights: cladding – aluminium | colour: RAL 9005 black, glazing: reflective graphite | pullbar: WALA | escutcheon plate: Slim





















Class 2)

Up to 5 years

Thermal insulation: 0.58-0.97 W/m²K

Arctic

Presenta

CPH Component


Sidelights & Transoms





All doors in this collection are available in 18 environmentally-friendly finishes, underlining the grain of oak. You can also choose almost any colour from the RAL palette.





♠ The door comes as a pre-hung door with a multipoint locking hardware system and security glass.

Take a surcharge-free RC2 (Burglar Resistance Class 2)

Kverko








- S Winchester (oak)
- WALA Q 10 pullbar (RAL 9005)
- Aluminium door frame cladding (RAL 9005). An option available in all collections at an extra charge.
- Jupiter half-set handle (F8-black)



Routing grooves on the inner side available at an extra cost.



Fago

- S Clear Oiled (oak)
- Jupiter handle (F8-black)
- P4 antiburglary glass










- Winchester (oak)
- Jupiter handle (F9-titanium)





- Winchester (oak) s
- Metal inlay (RAL 9005) s
- Jupiter handle (F8-black) •










Routing grooves on the inner side available at an extra cost.



Acero



- Clear Oiled (oak)
- WALA Q 10 pullbar (RAL 9005)
- Metal inlays (RAL 9005) 6
- Jupiter half-set handle (F8-black)








Karpeno Karpeno


- Bleached Oiled (oak) s
- Jupiter handle (F9-titanium) •











Saliko







- Bourton | Blueish (oak)
- Jupiter handle (F9-titanium)

View our work! We create custom designs!






Read more on p. 9












Idyll Collection

Your idyll. The name celebrates simple, wooden doors of idyllic houses and, at the same time, conceals the advanced technology of the 21 st century. This new collection of exterior CAL doors symbolizes the serenity that we all have in mind.

The collection includes seven models that redefine the concept of doors. The inspiration for their creation were the Olympic Muses, the envoys of gods who attend to different areas of life, art, and science. From now on, they will guard Your house.

Larch wood used in the production of these doors is the most durable wood of conifer species. It has beautiful grain patterns. It is not susceptible to biological corrosion, does not deform, and its hardness increases with age.

Choose your door made of any wood, as long as it is larch or oak!



model: Kaliope | standard: Presenta | colour: transparent (knotty oak) | sidelight: RAL 9005 colour, glazing - one-sided mirror flushed with the surface of the leaf | pullbar: WALA | rosette: Mars solo (F8-black)





RC2 (Burglar Resistance Class 2)



Up to 5 years guarantee *

Thermal insulation: 0.58-0.97 W/m²K



standard






The number of boards changes with the change of the door dimensions. All doors in this collection are available in 22 environmentally-friendly finishes, underlining the grain of wood. You can also choose almost any colour from the RAL palette. Twosided boarding

✓ Oak Larch





Take a surcharge-free RC2 (Burglar Resistance Class 2) **Euterpe**


- Clear Oiled (oak)
- Aluminium door frame cladding (RAL 9005). Option available in all collections at an extra charge.

♠ The door comes as a pre-hung door with a multipoint

locking hardware system and security glass.

- Concealed pull handle (RAL 9005)
- Metal inlay (RAL 9005)
- Jupiter half-set handle (F8-black)





Inner side


Erato

- Clear Oiled (knotty oak)
- WALA Q10 pullbar with fingerprint reader (F6-stainless steel)
- Aluminium door frame cladding (RAL 7047). Option available in all collections at an extra charge.
- Slim Solo handle (F6-stainless steel)
- E-AV3 lock

33








Inner side

Kaliope

- Clear (knotty oak)
- Aluminium door frame cladding (RAL 9005).
 Option available in all collections at an extra charge.
- x7zo pullbar, Z11 model (clear oak)
- Jupiter half-set handle (F8-black)

Talia

- Clear Oiled (knotty oak) •
- WALA Q 10 pullbar with LED backlight (F6 -stainless steel)
 - Metal inlay (F6-stainless steel)
 - Jupiter half-set handle (F6-stainless steel)



Inner side







Inner side

Klio

- Teak Oiled (larch)
- © Concealed pull handle (RAL 9005)
- Metal inlay (RAL 9005)
- Jupiter half-set handle (F8-black)



Kaliope


- Winchester (knotty oak) •
- x7zo pullbar, Z29 model (F9-titanium)
 - Slim Solo handle (F9-titanium) •












Urania

- Bleached (knotty oak)
- Metal inlay (RAL 9005)
- Diva handle (F8-black)

Arche

- WALA Q 10 pullbar with

 o
- fingerprint reader (F6- stainless steel)
- Slim Solo handle F6 (F6- stainless steel)
 - E-AV3 lock
 - P4 antiburglary glass s









Movie Star Collection

Each house is a different story. To make it even more special, you may think of a part to play for...real wood doors. Doors from our Movie Star Collection can really steal the show. Their hallmark is glass. The glass panes can be painted and chamfered or can take the practical form of a one-way mirror. Thanks to the combination with the warm grain of natural wood, these doors are a stellar choice for houses where trends are followed.

Like the best actors, the doors of the Movie Star Collection merge two elements: they are both impressive and timeless. They are destined to be in the foreground. It is not by accident that we gave them the names of the biggest movie stars.



model: Claudia | standard: Arctic | veneer: knotty oak | glazing: bevelled steppe black with a transparent field | handle: Diva





RC2 (Burglar Class 2)



Up to 5 years Thermal insulation: $0.9\,\mathrm{W/m^2K}$










Presenta

* To find out more, go to www.drzwi-cal.pl



All doors in this collection are available in 21 environmentally-friendly finishes, underlining the grain of wood. You can choose almost any colour from the RAL palette.






1 The door comes as a pre-hung door with a multipoint locking hardware system and security glass.

Take a surcharge-free RC2 (Burglar Resistance Class 2)

Greta

- Winchester (knotty oak)
- Jupiter handle (F9-titanium)
- P4 antiburglary glass






Inner side

Marlene

- RAL 3020 (oak)
- Jupiter handle (F8-black)
- S Kick plate (RAL 9005)
- 9 P4 antiburglary glass








Audrey

- RAL 9016 (oak)
- Jupiter handle (F8-black)
- S Kick plate (RAL 9005)
- P4 antiburglary glass


Elizabeth

- Bleached (knotty oak) •
- Jupiter handle (F9-titanium) s









Inner side


Vivien

- S Anthracite Oiled (oak)
- Jupiter handle (F8-black)
- S Kick plate (RAL 9005)
- P4 antiburglary glass




Marilyn

- Winchester (oak) ©
- Jupiter handle (F8-black)
 - Kick plate (RAL 9005) s
 - P4 antiburglary glass









Claudia

- Oiled (knotty oak)
- RAL 9005 doorframe
- Jupiter handle (F8-black)
- Kick plate (RAL 9005)
- P4 antiburglary glass







Alutherm Collection

Do you want your real wooden door to have additional functionalities? No wonder because a real house requires multifunctional solutions. With this in mind, we have created the Alutherm collection, characterized by the use of aluminium cladding on the outer side of the door. Aluminium, which is used in aviation and robotics, is weatherproof and easy to maintain, but, at the same time, it does not reduce the charm and the thermal properties of the wood used on the inside.

THE DOORS IN ALUMINIUM CLADDING DO NOT REQUIRE AN OVERHANG

Weatherproof door

You can fully enjoy the synergy of the two materials. A wide range of aluminium coating colours, including wood-like ones, will allow you to perfectly match your doors with your windows and garage doors.



model: Megacal | standard: Presenta | colour: Quartz Anthracite | sidelights: colour - Quartz Anthracite, glazing – reflective brown | pullbar: WALA | escutcheon plate: Diva





RC2 (Burglar













Class 2)

Up to 5 years

Thermal insulation: 0.58-0.97 W/m²K

Arctic

Presenta


Sidelights & Transoms

* To find out more, go to www.drzwi-cal.pl



All doors in this collection are available in nearly all colours of the world included in the RAL palette. The exterior cladding can be mat or glitter (including Anthracite Quartz) with wood on the inside available in 21 finishes that highlight its grain.





Inner side

1 The door comes as a pre-hung door with a multipoint locking hardware system and security glass.

Take a surcharge-free RC2 (Burglar Resistance Class 2)

Megalit

- Aluminiu cladding (AR-RAL1023-MAT)
- Jupiter half-set handle (F8-black)
- Concealed pull handle (RAL 9005)




Nanolnox

- Aluminiu cladding (Anthracite Quartz)
- Jupiter handle (F6-stainless steel)
- Metal inlays (F6-stainless steel)
- P4 antiburglary glass







Decyuran FRC3 F43db FRC2






- Aluminium cladding (Alu Decor Mat | Wood-like Golden oak)
- AXA straight pullbar (RAL 9005)
- Slim Solo handle (F8-black)


Megakiur

- Aluminiu cladding (AR-RAL3005-MAT)
 - Concealed pull handle (RAL 9005) s
 - Jupiter half-set handle (F8-black) •










Dekasuw

- Aluminium cladding (AR-RAL7016-MAT)
- Jupiter handle (F9-titanium)
- P4 antiburglary glass






- Aluminum cladding (AR-RAL9011-MAT) •
- WALA Q10 pullbar (F6-stainless steel)
 - Slim Solo handle (F6-stainless steel) •












Zeptolnox

- Aluminium cladding (AR-RAL6033-MAT)
- Jupiter handle (F6-stainless steel)
- Metal inlays (F6-stainless steel)
- P4 antiburglary glass











Classic Collection

Times change. Yet, some things remain the same, creating a sense of peace, stability, and harmony, regardless of the latest trends. In a true home, there will always be a place for classics and Real wood doors. If you are looking for traditional design solutions with their own aesthetic, even if your space is contemporary and minimalist, but you still want an old family cabinet, then... remember that classic doors still do exist.

In the Classic Collection, you will find timeless designs marked by proven craftsmanship.

Beautiful and noble. Ensuring warmth and silence. Traditional, yet so advanced that they will stay with you forever.



model: Koruna | standard: Komfort | colour: RAL 1018 | sidelights and transoms: colour – RAL 9016, glazing – clear glass | handle: Solid





RC2 (Burglar Resistance Class 2)



Up to 5 years guarantee * Thermal insulation up to 1,3 W/m²K



65 mm

standard





Sidelights & Transoms

* To find out more, go to www.drzwi-cal.pl




All doors in this collection are available in 21 finishes that highlight the grain of wood. You can also choose almost any colour from the RAL palette.

The door comes as a pre-hung door.

Take a surcharge-free multipoint locking hardware system and P4 security glass.





Koruna

- S Walnut (oak)
- Jupiter handle (F6-stainless steel)






Szczeliniec

- Oark teak (oak)
- Jupiter handle (F6-stainless steel)
- P4 antiburglary glass






Czantoria

- Winchester (oak)
- Jupiter handle (F6-stainless steel)
- P4 antiburglary glass


Śnieżnik

- Berkeley | Yellowish (oak) s
- Jupiter handle (F6-stainless steel)
 - P4 antiburglary glass s










Skalniak

- RAL 9017 (oak)
- Jupiter handle (F6-stainless steel)




Sokół

- RAL 6028 (oak) •
- Stained glass P4 antiburglary glass
 - Jupiter handle (F6-stainless steel) •










Szczytna

- Surford | Greyish (oak)
- Jupiter handle (F6-stainless steel)
- P4 antiburglary glass

View our work







GO Hybrid!

Jagienka is an exceptional door – whether oak veneer or pine veneer - it always looks great! However, this model is also available in three stylish claddings.

You can "dress" your door with e. g. a very fashionable quartzite slate, quartz sinter or aluminium. And you will always be sure that this is a hybrid, one of a kind door: Real door, made of wood, with surprising outside looks owing to its unique beauty, and, what is more, entirely protected against even the worst weather conditions.



Available only in the Presenta standard.



Available only in the Presenta standard.

Quartzite slate

This beautiful, natural stone, obtained by means of mechanical splitting, is used to cover the leaf and the door frame of the Jagienka doors (with concealed hinges in the Presenta standard).

The image presents the Burning Forest slate-clad door.

Quartz sinter

This cladding is made of natural ground granite rocks with the addition of pigments. When cladding the Jagienka door, we obtain an incredible visual effect, as well as optimal hardness and resistance to scratching by our four-legged friends. If necessary, CAL recommends colour-matched aluminium cladding for door frames

The image presents the Neolith Concrete sinter-clad door.

Cladding in JAGIENKA Presenta doors

Cladding material	Cladding type	Cladding sheet size	Remarks	Cost	
Quartzite slate	K. Black	Maximum Width:	Quartzite slate clad selection - due to its uniqueness -	On request. Ask your retailer for more details.	
	Burning Forrest	1220mm Maximum Height:	based on three photos to be accepted before placing the order.		
Qualizate state	S. White	2440mm			
	Cooper		NOTE: does not apply to glazed doors/panels.)		
Quartz sinter	Oxide Perla				
	Oxide Nero	Maximum Width:	Price per one side of the leaf		
	Naturali Crema Marfil	1000mm			
	Naturali Basalto Vena Scura	Maximum Height: 2500mm			
	Beton Satyna				
	Ossido Bruno				
Mirror on a leaf/ passive leaf	 Mirrors mounted on the door slab may curve. It might cause distortions of the image. Available with a wood doorframe or a doorframe in an aluminium cladding. The repair service of a broken mirror is possible only in a manufacturing plant. In the case of the door leaf, it should be taken off the hinges and returned to the factory. Broken mirror cladding on the passive leaf will additionally require the dismantling of the unit from the wall opening. A mirror in a sidelight is available only in doors opening inwards. Alternatively, a lock should be changed from AV3 to M2.1 				
Aluquartz	Quartz sinter as above. Aluminium according to the Aluron palette.				



A door in an aluminium cladding does not require a roofing.



Available only in the Presenta standard.

Aluminium

Aluminium cladding gives the wooden door an ultra-modern look which ideally suits contemporary architecture. Natural wood provides excellent thermal insulation, and aluminium cladding protects the timber from the destructive UV rays, thus significantly extending the lifespan of the doors. In this finish, the Real door perfectly matches both the most popular garage doors and PVC windows.

Alu-Wood doors View the Alutherm collection

Aluquartz

A doorframe in an aluminium cladding. The surface of the leaf is divided into two sections separated by an aluminium divider bar.

Aluminium on the side of the lock, quartz sinter on the side of the hinges. If you are into elegant simplicity combined with natural wood, this is the door for you. The standard option includes the RC2 antiburglary class and excellent thermal insulation parametres.

Custom-made doors

For years CAL has been designing and building custom-made wooden exterior doors. We can fulfill practically all your needs offering a wide range of styles for all project types, or you can choose from our bespoke service, where construction, glazing, size, finish, etc., can be fully customized. You can have any CAL door you can dream of... Unique, wooden, and only yours.



Project 48/1 model: custom door | standard: Thermo | colour: RAL 9016 (pine) | Single Door with Two Sidelights and Round Transom | glazing: Clear Simulated Divided Lite | handle: Diva



Project 48/2
model: custom door | standard: Thermo |
construction: Double Doors | colour: Bleached
Oiled (oak) | glazing: Clear Simulated Divided
Lite | handle: Diva



model: custom door | standard: Presenta | colour: Walnut (oak) | glazing: frosted glass

model: Fago | standard: Thermo | colour: Winchester (oak)

construction: Double Doors | handle: Diva

Project 48/3



Project 48/4

model: custom door | standard: Comfort |

Winchester (oak) | handle: Diva



Project 50/5 model: Darwin | standard: Thermo | colour: RAL 5005 (oak) | Single Door with Two Sidelights | glazing: Clear Simulated Divided Lite | handle: Diva



Project 48/6



Project 48/7

model: custom door | standard: Comfort | colour; RAI 3020 (oak) | handle: Diva



(oak) | construction: Frameless Side Panel | glazing: frosted glass | handle: Diva model: Kverko | standard: Presenta | colour: Winchester



Project 51/1 model: Agawa | standard: Presenta | colour: Winchester (knotty oak) | doorframe: RAL 9005 colour | glazing: Dark Grey glass \mid pullbar: straight with angled fix



Project 49/2



Project 49/3

model: Kverko | standard: Presenta | colour: Winchester (oak) | construction: Flush aluminum cladding on the side panel and the jambs in RAL 9005 colour | pullbar: straight with straight fix |

ring escutcheon

(oak) | construction: Single Door with Sidelight | glazing: clear glass | handle: Diva model: Kingston | sstandard: Thermo | colour: RAL 6027



Project 49/4 model: custom door | colour: RAL 7016 (oak) | construction: Double Doors with diamond raised panels glazing: frosted glass | handle: Solid





Project 51/5



Custom-made doors



Project 49/7

model: Jagienka | standard: Thermo | colours: RAL 5019 (outside), Winchester knotty oak (inside) | construction: Single door with side panels to match the door | handle: Solid

The Colours of Your Door

Sleek and functional doors. Precisely the way you want them to be. Real and well-designed, with a unique grain of natural wood. Superior protection with ecological coatings - woodstained, oiled, or painted.

You can easily find the right colour to add your personal touch to the project or to match the facade's appearance and the building's architecture, as well as other components, such as PVC windows or metal garage doors.

Larch Oiled



Teak Oiled



Patina Oiled



Clear Oiled



White Matt Oiled





Clear Oiled



Anthracite Oiled



Bleached Oiled



Winchester Oiled



Bongossi Oiled

You are choosing wood, a natural material. Due to the printing technique, the colours shown in the catalogue may differ from the actual colours. It is recommended to consult your dealer before the purchase. Due to the variety of structures and colours, there may be differences between the finished product and the colour chart sample. The differences in shades of particular door elements, knots or structure cannot give any grounds for a complaint. They create the unique character of the raw material that wood makes.



Teak



Dark teak



Walnut





Teak



Dark teak



Bleached



Old oak



Winchester



Clear



Golden oak



Walnut



RAL 7016 Antracyt



RAL 9016 White



Norton | Greenish



Bourton | Blueish



Berkeley | Yellowish



Burford | Greyish

Environmentally friendly coating



RAL and NCS colour palettes

When you choose a colour from the RAL or NCS palette, for a small extra charge you can have your door painted almost any colour of the world.

The CAL coating system is based on waterborne products, which are very durable and yet environmentally safe. The coating system brings out and enhances the natural beauty of wood (optimal transparency) and allows the timber to breathe (vapour permeability). After drying, the coating surface is smooth, strong, and flexible. The differences in colour, grain pattern, and wood structure result from the unique characteristics of wood as a natural raw material. The colour samples shown in this catalogue are for illustrative purposes only because no visualization can fully reflect the appeal of your actual Real wood door.

Doors that Match Garage Doors and Windows

Real wooden doors play a special role in a house. They work all year round every day - in the morning, at noon and in the evening. They open and close. They protect the household members from uninvited guests. They are durable, reliable and, last but not least, well-adjusted. We know that customization is important not only in terms of the size of the opening in the wall.

The door should also match the garage door, the window, the roof, the fence, the facade and the character of the house. When designing CAL door colours, we also look for solutions used by manufacturers of the most popular architectural elements, whether they are made of real wood, aluminium, steel or finished with natural imitation foils.

This is why we offer such colours as Golden Oak, Winchester, Walnut, Anthracite Quartz, Teak, Venge and Mahogany.

Tell us what is the colour of the gate or the windows you will install in your house.

With a probability close to certainty, we will find a suitable CAL door finish.

model: Mszczuj | standard: Thermo | kick plate: Stainless steal | colour: Golden Oak (Oak) | handle: Diva F6 | construction: Single door with a side panel to match the door



Door glazing

What will you get at the regular price?


- Energy Efficiency triple glazing with the use of Low E glass, Warm Edge Spacers, Argon-filled IGUs (DGU for the Comfort collection)
- Safety & Security IGUs with laminated safety glass. CAL laminated glass is manufactured by bonding together two sheets of 4mm panes using four 0.38mm PVB interlayers. It is highly manual attack-resistant glazing that will provide adequate protection even when broken. Another significant feature is that if the glass breaks on impact, the pieces will remain bonded to the interlayer, minimizing the risk of injury from flying glass.
- UV protection solar control glass, like through-tinted, reflective, and selective g-value panes, will reduce the light transmission and control glare



P4 antiburglary class 2-chamber IGU is a standard in CAL Thermo, Arctic, Presenta and CPH Component doors.

What type of glazing is available as an extra option? The one that includes:

- decorative ornamental glass,
- stained glass,
- sandblasted or frosted glass,
- divided lights: muntins, grilles between glass (GBG), true divided lights (TDLs), simulated divided lights (SDLs)
- A one-way mirror limits the visibility from the outside to the inside! It allows to create a high privacy rate inside your home but doesn't limit the visibility from the inside. Note: the better the light to dark contrast, the better the one-way mirror works. When the light on both sides is about the same, the effect is less visible. It is worth knowing that a one-way mirror may distort the reflection.





Frosted laminated glass



Clear glass





Sandblasted glass w/ clear stripes



Acid-Etched glass



Reflective brown glass



Stained glass



Reflective graphite glass



Dark grey glass

Glazing

Sidelights Thermo / Arctic / Comfort / CPH Component



PLEASE NOTE: Sidelight (S), Door (D) symbols characterize the door construction. The image ALWAYS presents the outer side of the door, and the S, D symbols reflect the sequence of the individual part of the door unit from left to right. For example, the "SD unit" describes the Single Sidelight unit with a glass panel on the left.

A list of additional options for sidelights and transoms Thermo/Arctic/Comfort/CPH Component



Frame with T1 sidelight (Traditional Full Lite)



Frame with N1 sidelight (Modern Full Lite)

Additional field in a glazing unit	0
RC2 class sidelight	0
RC2 class transom	0
Clear glass	S
Reflective brown glass	S
Reflective graphite glass	S
One-way mirror	0
RAL painting	0

Transoms Thermo/Arctic / Comfort




Made-to-measure door



Transoms in different shapes and designs. Round, segment head, elliptical or rectangular. Additionally, with divided lights or not. Ask your retailer for more details.

Presenta sidelights






Presenta transoms



Doors to Serve You for Years

You want the doors of your house not only to be reliable, but also to look beautiful for many years to come. We understand that perfectly. That is why we can suggest a few solutions for you that will definitely improve their lifespan.



Thermal Sub-sill Protection - TOP®

 TOP^{\circledR} – ensures sound foundation and reliable installation of the door. At the same time, eliminating thermal bridges contributes to reducing heating consumption in the house.

TOP® Standard maximum size (LWH): 2950mm x 93mm x 80mm

 $TOP^{\textcircled{R}}$ PRESENTA maximum size (LWH): 2950mm x 55mm x 80

TOP® EXTRA length up to 1830mm, increased by every 100mm. It can be cut to obtain any height within this range.

XL 200 mm H XXL 300 mm H XXXL 400 mm H



Passive thermal threshold with TOP®



"Comfort plus" reinforcement

The system of additional reinforcement of the leaf's frames with aluminium sections.



with TOP®

ISO/BLOCO One

It is a multi-functional all-in-one joint sealing tape that is a certified Passive House component and is delivered as pre-compressed rolls (6m per roll) with one side a self-adhesive to aid installation. Tape width/area of application: 74/5-30



ISO-CONNECT Varlo SD

Universal foil both for internal and external sealing levels to keep the joints dry all year round.
Uses a self-adhesive and butyl-adhesive strip for a single product application.

Smart Doorskeyless entry systems





A set with a visualization
A phone with an application/
a reader

With the app - readily and securely operate and control your door.

Key Benefits:

- Unlocking and access control from anywhere
- Works with alarm and intercom systems
- Integration with home automation control systems (KNX or Creston). Follow www.comfort.pl or call +48 61 645 03 96 for more details.
- The operating temperature range: -40° to $+80^{\circ}$ C

NOTE! The control unit with the Internet access can be connected to the door using two CAT5e FTP LAN cables.

A concealed door loop within the door frame and the door, which is fixed on the hinge side at the height of 1.1m allows hidden wiring to run between the door and the frame. All installation work must be carried out by an authorized low voltage electrician, using the manufacturer's wiring diagrammes.



- The operating temperature range: 40° to + 80° C
- Waterproof
- High recognition of poorly legible fingerprints, e. g. child fingerprints.
- The operating temperature range: 40° to + 80° C
- Waterproof
- Easy code entry

Unlocks the door by means of transponders available as:

- Already existing access cards
- Transponder chips
- ATM cards

For installation on a leaf



UniLock

- \bullet The operating temperature range -30° to +60° C
- Waterproof IP66
- Entrance functionality
- fingerprint scanner
- numeric keypad
- RFID reader
- via smartphone app
- remote access via the Internet

All sets, excluding an UniLock, can be installed in the WALA Q10 and Q10R pullbars (the pullbar is not included in the price).




Stainless steel WALA pullbar options	Q10	Q45 RX		
Cross section [mm]	40:	40×40		
Length [mm]	1000-2500			
One-sided pullbar				
Two-sided pullbar				
Visible/concealed microswitch	()		
Backlight of a microswitch	()		
Microsensor	()		
Engraving of a bell on the microswitch or the microsensor	(5		
LED lighting (per 1 light point)	()		
Built-in LED bar in a pullbar	()		
Painting a pullbar in a RAL colour	(O		

Smart doors 59

A handle or a pullbar?



Handles dedicated to one-sided pullbars



Rosettes dedicated to two-sided pullbars




Hinge covers

Oxidized aluminium AXA pullbars

Handle Length: 1000mm/1200mm/1500mm/1700mm (centre to centre fixing: 500/800/1000/1000mm)

Finish: F4 old gold/F9 titanium/F6 stainless steal/F8 black



AOP Round, straight fix

AOS Round, angled fix

APP straight, straight fix

APS straight, angled fix

Other pullbars



NEW!

RETRO x43 pullbar F6- stainless steel, RAL 9005

Diameter 28 Length 500/800/1000 mm Microswitch installation diagram




x7xo Z11 34 model Finish: Clear Oiled Oak with Black legs Handle Length: 500mm



WALA flush pull handle

250x150 mm

- Finish: F6-stainless steel, F8-black
- Microswitch (option)
- Microswitch backlight (option)



Place of assembly of microswitches.

Other accessories









Knocker



Concealed (in a door)
Door Closer with Hold Open Arm

Chrome, brass, black






Doors in your style 61

Winkhaus Multipoint Door Locking Systems



M2.1

Key Turn Activated Multipoint Locking System.



Other features:

- Lever or Key operated
- Three points of locking
- Contact pressure adjustment in a striking plate
- Suitable for double doors
- 92mm PZ Centres
- Tested to RC2

It is standard in Thermo and Comfort door systems.

M2.1.1

Key Turn Activated Multipoint Locking System with the additional upper standalone Euro Profile Deadlock.

Other features:

- Lever or Key operated
- Four points of locking
- Contact pressure adjustment in a striking plate
 - 92mm PZ Centres
 - Tested to RC2

Option available with a surcharge.





M3.1.1

Key Turn Activated Multipoint Locking System with an additional upper standalone Euro Profile Deadlock.



Other features:

- Lever or Key operated
- Five points of locking
- Contact pressure adjustment in a striking plate
- 92mm PZ Centres
- Tested to RC2-RC3

Surcharge-free in the RC3 door system.









AV3

Security. Tight seal. Convenience. In brief: the Automatic Multipoint Locking System. Self-locking via magnet technology in the frame.

Other features:

- $\bullet\,$ Manual locking of the deadbolt / a complete system possible via profile cylinders
- Easy unlocking by Lever or Key
- Three points of locking
- Contact pressure adjustment in a striking plate
- Suitable for double doors
- 92mm PZ Centres
- Tested to RC2


It is standard in Arctic, Presenta, and CPH Component door systems.

E-AV3

The E-AV3 lock is not only capable of self-locking mechanically, but it can also unlock them with motorized door openers. Can be operated by all potential-free opening media such as a fingerprint, a smartphone app, or other devices such as an intercom, alarm systems, etc.

Other features:

- Manual locking of the deadbolt / complete system
 possible via profile cylinders
 - Easy unlocking from inside by Lever, Cylinder, or Electric Means
 - Three points of locking
 - Contact pressure adjustment in a striking plate
 - Suitable for double doors92mm PZ Centres
 - Tested to RC2



This option comes factory installed and requires only a connection to a 12 VDC power supply.

IMPORTANT: It should be noted that the deadbolt should not be used with this device as the motor only operates the latches.

If the deadbolt is triggered, the only way to unlock the door is with a key. With this option, the use of a pull bar is mandatory (a handle on the outside would defeat the purpose of the E-lock).

Deadbolt Status Sensors

It provides a means of monitoring door status, for example, "door locked," "power off," "stand by." NOTE: By locking the door with the key - you switch off the electricity, and the motorized function is inactive.



	Technical parametres			Dimensions*				Locks			
	Thermal transmittance	RC class	Leaf thickness	Jamb size (Width x	Door frame	Rough opening size	S - Standard Option O - Extra-cost option				
	coefficient U _d [W/m² K]	antiburglary resistance	[mm]	Thickness) [mm]	size (Height x Width) [mm]	(Height x Width)	M2.1	M2.1.1	M3.1.1	AV3	eAV3
Thermo	0.9-1.17	RC2	78-90	105x65	2099×1030	2120×1060	S	0	0	0	0
Arctic	0.58-1.06	RC2	90-102	105x65	2099×1058	2120×1090	S	S	0	S	0
Presenta	0.81-1.07	RC2	90	90x88	2120x1089	2140×1120	S	S	0	S	0
Comfort	<1.3	Equipped as RC2	65	105x65	2099x1030	2120x1060	S	0	0	0	0
СРН	0.68-0.76	RC2	90-102	105×65	2099x1090	2120×1060	S	S	0	S	0

^{*} Standard sizes for a doorframe opening width of 900 mm

	S-	Stanc	lard	Option	1
--	----	-------	------	--------	---

O – Extra-cost option

Custom options

Made to measure	
Jamb(s) thickness 70mm/80mm/88mm	0
Height 1819mm - 2099mm (every 10mm)	S
Height 2110mm - 2500mm (every 10mm)	0
Custom width (max door frame opening width: 1000mm)	0

Glazing	
Reflective brown	S
Reflective graphite	S
Clear	S
Frosted laminated	S
Acid-etched	S
Sandblasted w/ clear stripes	0
One-way mirror	0
Steppe/one-way mirror	0
English stained glass (came glasswork)	0
Tiffany stained glass (foil glasswork)	0

Painting / Veneer / Cladding				
RAL/NCS finish	0			
Dual colour	0			
Knotty Oak Veneer (door leaf only)	0			
Aluminium cladding for the door frame	0			

Decorative elements	
Hardwood Glazing Beads (flat 30mmW/7mmH)	0
No routing on the door	S
Custom routing on the door	0
Shifting of the glass	0
Painting stainless steel sheets black	0
Stainless Steel Kick Plate (height: ca. 130 mm)	0
Two-sided decoration	0

S - Standard Option O – Extra-cost option







You don't have to but you can

Security and silence in a house and in an apartment

RC2 security package included in the price of the following standards: Thermo, Arctic, Presenta, and CPH component.

- RC2 security certificate at no extra charge,
- Antiburglary protection: anti-pry rebate, Winkhaus three-point locks,
- P4 class glazing units in the leaves, sidelights and transoms at no extra charge.

New in!

More security, more silence

CAL SAFE — Thermo Safe Door System RC3 | Rw 44dB | U_a < 1.0 W/m² K

Peace and security in your home. Our CAL SAFE door system had been designed to provide a high level of security for premises that are considered to be exposed to an increased risk of burglary (houses, apartments, others). In addition, it is characterized by excellent sound insulation and U-value.

Key features:

- Tested to RC3
- Sound reduction index of 44dB
- Made-to-measure doors covered by the certificate
- Available in all CAL finishes
- Insulated core reinforced with two 4mm steel sheets (full height and width on both sides)
- Five-point lock
- Heavy-duty hinges
- Anti-theft lock cylinder
- Handle set with cylinder cover
- CAL casing system (surcharge)
- Peephole (surcharge)
- Other (on request)

Application: as an exterior door in stand-alone houses and as an interior entrance door in apartment houses.

CAL SILENT – Thermo Silent Door System $\frac{243_{dB}}{800}$ Rw 43dB | RC2 | U_d < 1.0 W/m² K

CAL is proud to offer the market's prime and custom-manufactured acoustic wood door to any size specification. Both for exterior and interior use. Suitable for any application where a soundproof door is required. The standard door is in oak or pine, available as a pre-hung set.


Key features:

- Tested to RC2
- Sound reduction index of 43dB (oak), 41dB (pine)
- Made-to-measure doors covered by the certificate
- Available in all CAL finishes
- All multipoint locking systems (free/surcharge)
- Wide range of hardware options (surcharge)
- CAL casing system (surcharge)
- Other (on request)

Application: as an exterior door in stand-alone houses and as an interior entrance door in apartment houses.



Take Care of Your Door



1. Door Overhang

Exterior doors should be securely installed in the entryway. A front door overhang provides cover and protection, by sitting directly above the door. This overhang has several essential functions: can offer beneficial shelter against sun, rain, and wind, a bit like an umbrella for your door. In most climates, an overhang is required for wood exterior doors. The climate zone and the direction a door faces also play a critical role in determining an appropriate overhang. The overhang should extend beyond the outline of the open door and provide shading - at midday during the summer season. It is not necessary for doors with aluminum cladding, but still recommended.

2. Heat source

The minimum distance between the radiator and the door should be 150 cm.

3. Installation

Installation in wall openings is possible upon the completion of internal masonry work, and after flooring and plastering have been completed inside the building, and the rooms have been dried to an air humidity of 40-70%.

Tips for the construction time

- Consider installing a temporary door during construction.
- Install doors after the wet construction work has been completed and the rooms have dried out. Leave the rooms open, let them breathe. Do not keep them closed all the time. Ventilate systematically. The first winter, when the house is still damp and construction moisture is being released, is crucial.
- If possible, designate 1 door (not a CAL door) as the primary door for trades. Don't let the CAL door be used as a
 thoroughfare for building crews, and ideally, don't give keys to random people you won't have to change the locks when
 construction is finished.
- Keep your doors clean, especially at this stage (drywall dust is particularly bad). Use the care products recommended by
 the manufacturer. Use cotton cloths for cleaning. Be mindful that microfiber damages the lacquered coating. Do not use
 agaressive chemicals or solvents.
- Secure the door for the time necessary to carry out the finishing work around it. Your handcrafted door is an exceptional product, made almost entirely of wood. As such, it is a product that breaths and will absorb and release moisture during and after construction. Care should be taken to reduce the amount of exposure to trades and construction materials (drywall, paint, concrete, etc.) that will release large amounts of moisture into the building. Suitable materials should be used to protect the door during finishing no longer, however, than for a few days.
- Use cleaning materials that do not react with water-based paints and stains. After removing the protection, take a close look to see if there is any damage that the crew leaving the building site did not tell you about.

Care

Exterior doors require regular care. This applies both to traditional, varnished doors and oiled doors. We recommend our professional door care products: Ottimo Door Care for varnished doors and Osmo for oilwaxed doors.



Ottimo Door Care set for varnished CAL doors

cond-

OSMO spray solution for everyday cleaning.
OSMO Natural Oil Woodstain for maintaining and restoring. Coverage 16m²/L

Doorstop

The doorstop serves to limit the opening of the leaf and protect it against hitting the wall or, in extreme cases, breaking the leaf or the doorframe. Install in accordance with the manufacturer's instructions, not closer than at a distance of 2/3 of the leaf's width from the hinges' axis.



Door closer with hold open arm

Supports the operation of the door; helps to open it; prevents the door from being torn out from its frame in windy conditions; limits a too wide opening; allows to block the open leaf as you carry goods into the house.



What Influencers Say



Since I was both an architect and an investor during the renovation of my own house with a soul, the decision which firms to choose to help me with the renovation was very important. I wanted natural, durable materials that will write with me the history of the place for years to come. Maintaining the tradition is very important to me, but I also wanted to be able to realise my own individual designs that will prove timeless. This is what the CAL brand came up with, and it turned out to have the perfect solution that meets all my requirements.

Katarzyna Wietecha, Architect 🔯 architekt_mo_home (interior designer, influencer)







For us, the selection of the front door was one of the most important elements of the construction puzzle. We wanted a door that would fit in with the aesthetics of the planned facade composed of wood and stone so we opted for the CAL front door in an oak veneer. The beautiful natural wood, the quality of workmanship and attention to detail convinced us to make the purchase, and, in hindsight, we can safely say - it was a very good decision.

Michał Fafrowicz (private investor)





This is a unique door. A combination of aluminium and heartwarming wood. It looks spectacular and makes a great impression against the backdrop of the facade.

We recommend this brand to all building a house.

Marysia Sadowska and Adrian Łabanowski (film director, singer, composer) | (musician, vocalist)

mariasadowska



If you want a door that will protect your home against external weather conditions and ensure the comfort of its inhabitants, we RECOMMEND CAL Real doors. If you want a door that will reduce your energy bills, we RECOMMEND CAL Real doors. If style and unique aesthetics matter to you, we RECOMMEND CAL Real doors.

Pasywny M2 pasywnym2 (design bureau and contractor, specialization: passive houses)



Doors that reflect who we are - since 1985.

Come closer, take a look, study every detail of our door. Feel free to touch it. Open and close it.

Can you feel the difference? It is a Real wood door world for people who want more.

It is Real not only because it makes your dream come true but also because it tells the truth about us.

Nature inspires us. We are eco-friendly. Grateful for every tree. Therefore, each year, we plant at least two seedlings for each tree harvested for door production. Our policy is "A tree for a door." According to the Zero Waste principle nothing in nature should be wasted - we also run the Door Clinic, where we restore used doors. And we design each new one to serve our clients for years.

We are a family business bearing the founder's name, and our ownership is 100% Polish. For this reason, we pay much attention to family values, such as warmth, trust, consideration for others. We have naturally brought these values into our relations with our customers. We want our clients to be sure of both our professionalism and our genuine commitment. It explains why we have made wood the foundation of our work. Owing to its thermal and acoustic properties, it is an all-natural, ecological, and health-protecting raw material. Our goal is to put end-user interests first.



Find out more!

Sylwia Ciszewska Manufacturer of CAL doors



The photo shows Sylwia Ciszewska with her father Zbigniew Cywiński, the owner of CAL

CAL prawdziwe drzwi ZSB CAL Z. Cywiński i wspólnicy spółka jawna ul. Piaskowa 5, 16-400 Suwałki Phone +48 87 563 11 55 biuro@drzwi-cal.pl















DON'T THROW AWAY THIS CATALOGUE.

Pass it on to your neighbour who also needs a great door!

If you have to dispose of this catalogue, make sure it can be recycled. Throw it in a blue paper bin.

REMEMBER! Coated or plastic-covered paper from advertising brochures is not recyclable, so it should be disposed of with mixed waste.

The publication is valid as of February 1, 2022.

The information contained in the catalogue does not constitute an offer within the meaning of the Civil Code. You are choosing wood, a natural material. Due to the printing technique, the colours shown in the catalogue may differ from the actual colours. It is recommended to consult your dealer before the purchase. Due to the variety of structures and colours, there may be differences between the finished product and the colour chart sample. The differences in shades of particular door elements, knots, grain or structure cannot give any grounds for a complaint. They create the unique character of the raw material that wood makes. The illustrations, technical information, data, and descriptions contained in this publication were accurate at the time of going to print. We reserve the right (without prior notice) to make changes to the dimensions, technical parametres, equipment, and improvements of the products presented herein, arising from our continuous efforts to pursue improvement and development. Although every effort has been made to ensure that this publication contains complete and accurate information, we cannot be held accountable for any omissions or inaccuracies that may have appeared in it. Retail prices contained in this catalogue are average market prices in the basic colour palette with standard equipment. The present catalogue does not set selling prices. All retail prices listed in this catalogue are given in Polish zloties (PLN net). Errors in the prices listed in this catalogue cannot give any grounds for a complaint, including a legal complaint. Please read the installation instructions before you place the door in the door opening. Important! All CAL products are produced and equipped according to an individual order submitted by a consumer.